

AZTOM

www.aztom.net

CABLE FOR TEMPERATURE - CONSTRUCTION AND TELECOMMUNICATIONS



CABLE

AZTOM AMS12-200 CABLE SILICONE CABLE 200 DEG CELSIUS



- CONDUCTOR TYPE : BARE COPPER WIRE
- INSULATION TYPE : SILICONE 200 DEGREE C
- INSULATION COLOR : WHITE
- VOLTAGE : 600 V
- INSULATION TEMPERATURE : 200 DEGREE CELSIUS
- AVAILABLE IN OTHER COLORS AND AWG SIZES
- AVAILABLE IN SEVERAL TEMPERATURE APPLICATIONS AND AWG SIZES


| CONDUCTOR | | | INSULATION TYPE | INSULATION THICKNESS mm | OUTER DIAMETER mm | VOLTAGE VOLT | WEIGHT ROLL 100 MT KG |
|-----------|-------------|-----------------|-----------------|-------------------------|-------------------|--------------|-----------------------|
| GAGE AWG | DIAMETER mm | OUTSIDE DIAM mm | | | | | |
| 12 | 19/0,3 mm | 2,4 | SILICONE 200 D | 1,1 mm | 3,7 | 600 V | 2,36 - 2,4 |



AZTOM AMC12-90 CABLE CONSTRUCTION CABLE

- ✓ - CONDUCTOR TYPE : BARE COPPER WIRE
- ✓ - INSULATION TYPE : PVC 90 DEGREE C
- ✓ - INSULATION JACKET MATERIAL : NYLON
- ✓ - INSULATION COLOR : WHITE
- ✓ - VOLTAGE : 600 V
- ✓ - INSULATION TEMPERATURE : 90 DEGREE CELSIUS
- ✓ - AVAILABLE IN OTHER COLORS AND AWG SIZES

| CONDUCTOR | | | INSULATION THICKNESS mm | VOLTAGE VOLT | OUTER DIAMETER mm | WEIGHT ROLL KG |
|-------------|----------------|--------------------|----------------------------|-----------------|----------------------|----------------------|
| GAGE AWG | DIAMETER mm | OUTSIDE DIAM mm | | | | |
| 12 | 19/0,465 | 2,45 | 1,15 +/-0,05 | 600 V | 3,9 | 3,6 |



AZTOM AMCT / G CABLE FOR TELECOMMUNICATIONS & GENERATION

- "- OTHER SIZES AND INSULATION AVAILABLE**
- "- CABLE FOR OTHER APPLICATIONS AND COLORS ARE AVAILABLE**
- "- AVAILABLE IN OTHER COLORS AND AWG SIZES**
- "- CABLE FOR APPLICATIONS AS SOLAR & TELECOMMUNICATIONS**
- "- CABLE FOR APPLICATIONS AS WIND GENERATION**